


63.84



DIRECTORS:
E. A. HOPSON, F.R.H.S.
A. E. HOPSON, F.R.H.S.
S. W. FINDLAY, F.R.H.S.

(9/43)

Issued
SEPTEMBER
1943

Uitgawe
SEPTEMBER
1943

EMERGENCY
LIST.

FORD'S SEED LIST

SAAD
LYS

QUOTATIONS SUBJECT TO STOCKS LASTING.

CONDITIONS OF SALE.—We give no guarantee expressed or implied (and none of our representatives is authorised to vary this condition in any way), as to description, quality or productiveness or as to any other matter of any seeds, bulbs or plants we sell, and we are not in any way responsible for them or in respect of the crop or failure of the crop. All quotations are given and orders accepted on the understanding that these conditions are agreed to.

VOORWAARDES VAN KOOP EN VERKOOP.—Ons gee geen waarborg, direk of indirek (en geen een van ons verteenwoordigers is gemagtig om die voorwaardes te verander nie), met betrekking tot deskripsie, kwaliteit of produktiwiteit, of enige ander saak omtrent die saad, bolle of plante wat ons verkoop nie. Alle kwotasies word gegee en bestellings aangeneem, slegs op die voorwaarde dat met die kondisies ooreengestem word.


*Seed Contractors
to
Union Government.*

A. FORD & CO., (PTY.), LTD.
EN KIE., (EIENS.), BPK.
JOHANNESBURG.

ESTABLISHED FOR OVER 25 YEARS—OPGERIG MEER AS 25 JAAR

We have pleasure in announcing that we are Sole Agents for the
Union of South Africa, Rhodesia and Portuguese East Africa for

BACTERIA
for
Treating Seeds



BAKTERIE
vir
Saad Inenting.

SUITABLE FOR INOCULATING THE FOLLOWING SEEDS:

GROUP—I. CLOVERS (RED, ALSIKE, CRIMSON, MAMMOTH and WHITE).

30 lbs. size, 2/6 ; 60 lbs. size, 4/-.

GROUP—II. LUCERNE, SWEET CLOVER, HUBAM, BUR CLOVER.

60 lbs. size, 4/- ; 150 lbs. size, 7/-.

GROUP—III. COWPEAS, LIMA BEAN, PEANUT, VELVET BEAN.

60 lbs. size, 4/- ; 120 lbs. size, 5/6 ; 300 lbs. size, 10/-.

GROUP—IV. PEAS (GARDEN, FIELD and SWEET).

60 lbs. size, 4/- ; 120 lbs. size, 5/6 ; 300 lbs. size, 10/-.

GROUP—IVa. VETCHES (HAIRY and SPRING).

60 lbs. size, 4/-.

GROUP—V. SOYA BEANS (ALL VARIETIES).

60 lbs. size, 4/- ; 120 lbs. size, 5/6 ; 300 lbs. size, 10/-.

GROUP—VI. BEANS (ALL VARIETIES).

60 lbs. size, 4/- ; 120 lbs. size, 5/6 ; 300 lbs. size, 10/-.

GROUPS III, IV & VI GARDEN SIZE.

Sweet Peas, Garden Peas, Garden and Lima Beans, 6 lbs. size, 1/6.


**PLEASE STATE FOR WHAT KIND OF SEED BACTERIA IS REQUIRED
WHEN ORDERING.**

PRICE:

4/- per tin.

Sufficient to inoculate

60 lbs. of seed.



Special Prices

for large quantities.

When ordering, state for what
seed bacteria is required.

**THE AGRICULTURAL DEPARTMENT OF THE UNION GOVERNMENT RECOMMENDS
THE INOCULATION OF ALL LEGUMINOUS CROPS. BE PROGRESSIVE AND IMPROVE
YOUR CROPS.**

Every farmer should use our Bacteria to treat all Beans, Legumes, Lucerne and Peas. It is the cheapest and best fertilizer known. Gives better crops, increases their food value 10 to 50% and leaves some 50 to 100 lbs. of nitrogen in the soil. Used to grow humus, it is the world's best fertilizer. 4/- per tin, sufficient for 60 lbs. of Beans, Lucerne, Peas, Cowpeas, Vetches, Soya Beans and Legumes. When ordering, please state for what seed Bacteria is required.

OBTAINABLE ONLY

FROM:

29/31, Goch Street, Newtown.

A. FORD & CO.

(PTY.), LTD.

JOHANNESBURG.


Phone 33-3526 & 33-0460

OBTAINABLE ONLY

FROM:

P.O. Box 5701

IMPROVE YOUR CROPS WITH "HANSEN" BACTERIA.



BEANS—BONE.
Long Tom (Imported).

BEANS — BOONTJIES

IMPORTED SEED—INGEVOERDE SAAD.

DWARF FRENCH OR BUSH BEANS—STAMBOONTJIES.

	lb.	Per lb. 10 lbs.	Per lb. 100 lbs.
Black Wonder	1/3	1/2	1/-
Canadian Wonder Red			
Long Tom			
Golden Podded Black Wax			
Lima Bush Burpee			
Black Prince			
Black Seeded Canadian Wonder			
Burpee Stringless Green Pod			
Victory			

POLE OR RUNNER BEANS—RANK OF KLIMBONE.

	lb.	Per lb. 10 lbs.	Per lb. 100 lbs.
Abundance Runner	2/-	1/9	1/6
Everbearing Stringless Climbing			
Golden Podded Wax			
Kentucky Wonder (Old Homestead)			
Pole Lima			
Scarlet Runner			

COLONIAL SEED—KOLONIALE SAAD.

	lb.	Per lb. 10 lbs.	Per lb. 100 lbs.
BROAD BEANS—BOER BONE	1/-	11d.	10d.

DWARF FRENCH OR BUSH BEANS—STAMBOONTJIES.

	lb.	Per lb. 10 lbs.	Per lb. 100 lbs.
AFRICANDER	1/-	10d.	9d.
Canadian Wonder			
Burpee Stringless Green Pod			
Long Khaki			
Painted Lady			
Round White Haricot			
Speckled Sugar, Round			
VICTORY			
White Sugar			
Yellow Sugar			
Zwartbekkie Genuine			

POLE OR RUNNER BEANS—RANK OF KLIM BONE.

Butter, Kidney	9d.	8d.	7d.
Everbearing Runner			
Long White Haricot			
Scarlet Runner			
Seven Year			
Speckled Sugar, Long			

SUNDRY BEANS—DIVERSE BONE.

Castor Oil, Cowpeas, Chinese	9d.	8d.	7d.
Dolichos			
Haricot (Small), Horse			
Indlubu, Jack, Jugo, Kaffir, Khaki			
Mung, Natal Yellow			
Scotch Horse, Soyas, Sword			
Tepary, Tick, Kaffir Zwartbekkie			
Velvet Stingless, Velvet Somerset			

FIELD BEANS AND LEGUMES See page 10.

KAFFERBONE Bladsy 10.

Bacteria for Bean Inoculation.

Every farmer should use our Bacteria to treat all Beans, Legumes, Lucerne and Peas. It is the cheapest and best fertilizer known. Gives better crops, increases their food value 10 to 50% and leaves some 50 to 100 lbs. of nitrogen in the soil. Used to grow humus, it is the world's best fertilizer. 4/- per tin, sufficient for 60 lbs. of Beans, Lucerne, Peas, Cowpeas, Vetches, Soya Beans and Legumes. When ordering, please state for what seed Bacteria is required.


BAKTERIE VIR BOON INENTING.

Per Blikkie voldoende vir 60 lb. Saad. 4/-

PEAS—ERTJIES

Bakterie vir Ertjie Inenting.

Per Blikkie voldoende vir 60 lb. Saad 4/-.



PEA—ERTJIE.

IMPORTED IMPROVED GREENFEAST

BACTERIA FOR PEA INOCULATION.

Every farmer should use our Bacteria to treat all Peas, Legumes, Lucerne and Beans. It is the cheapest and best fertilizer known. Gives better crops, increases their food value 10 to 50% and leaves some 50 to 100 lbs. of nitrogen in the soil. Used to grow humus it is the world's best fertilizer. 4/- per tin, sufficient for 60 lbs. of Peas, Lucerne, Beans, Cowpeas, Vetches, Soya Beans and Legumes. When ordering, please state for what Seed bacteria is required.

IMPORTED SEED INGEVOERDE SAAD

	Approx. Height.	Per lb.	Per lb. 10 lbs.	Per lb. 100 lbs.
*ALDERMAN	5	1/3	1/2	1/-
BLACK EYE SUSAN	2			
*Emperor	2½			
*English Wonder	1			
Fillbasket	2½			
*IMPROVED GREENFEAST	2½			
*IMPROVED STRATAGEM	2			
Pride of the Market	2			
Sugar, Edible Podded Dwarf	2½			
*Telephone	5			
Wiehahns Crescent True...	1½			
*Witham Wonder	1			
*Yorkshire Hero	2½			

COLONIAL SEED KOLONIALE SAAD

	Per lb.	Per lb. 10 lbs.	Per lb. 100 lbs.
*ALDERMAN	8d.	7d.	6d.
BLACK EYE SUSAN			
Field			
Fillbasket			
Marrowfat			
Pride of the Market			
*STRATAGEM			
*Telephone			
*Yorkshire Hero			

(Wrinkled Varieties Marked *.)
Special prices for large quantities.

COWPEAS See page 10.

KAFFERBONE Bladsy 10.

PACKET SEEDS—VEGETABLE AND FLOWER

4/6 per dozen.—6d. per packet—Post Free.

CHOICE COLLECTIONS OF FLOWER AND VEGETABLE SEEDS.	25	6d. packets for	8/6	} Nett Cash with Order, Post Free to any part of the Union, P.E.A. and South-West Africa.
	50	6d. packets for	16/-	

SAAD PAKKETTE—GROENTE EN BLOMME.

VEGETABLE SEEDS. — GROENTE SAAD.

VARIETIES.	oz.	$\frac{1}{4}$ lb.	lb.
ARTICHOKES—ARTISJOKKE:			
Green Globe			Sold Out.
ASPARAGUS—ASPERSIE:			
Giant			Sold Out.

BEET—TUINBEET:

Crimson Globe	}	1/6 4/6 15/-
Crosby's Egyptian		
Eclipse		
Flat Egyptian		
Detroit Dark Red		
Spinach Beet or Swiss Chard		
Sugar Beet for Cattle		




Beet—Tuinbeet—Detroit Dark Red.

BORECOLE or SCOTCH KALE—BLAARKOOL:

	oz.	$\frac{1}{4}$ lb.	lb.
Green Curled			Sold out at present

BROCCOLI—BROCOLI:

Veitch's Self Protecting	}	Sold Out.
Cauliflower Heading		



Bringal—Egg Plant—Eier Plant—Round Purple.

BRINGAL—EIER PLANT:

Round Purple	}	2/6 9/- 30/-
New York Purple		
Black Beauty		

BRUSSELS SPROUTS—SPRUIT KOOL:

	oz.	$\frac{1}{4}$ lb.	lb.
Covent Garden			Sold Out.



Cabbage—Kopkool—Cape Spitz.

CABBAGE—KOPKOOL:


BBAGE—KOPKOOI:						oz.	$\frac{1}{4}$ lb.	lb.	
Cape Spitz						}	1/6	4/6	15/-
Sugar Loaf									
All Head						}	2/-	7/6	22/6
American Surehead									
All Seasons									
Chinese Petsai									
Chinese, Wong Bok									
Copenhagen Market American									
Danish Ball									
Drumhead Early,									
„ Prize									
Drumhead Giant									
„ Savoy									
Early Jersey Wakefield									
Glory of Enkhuizen American									
Golden Acre									
Main Crop									
Mammoth Red Rock									
Private Stock									
Surehead									
Enfield Market									
Oxheart									

CAPE GOOSEBERRY—KAAP-APPELLIEFIE:

Selected	1/6 4/6 15/-
----------------	--------------

Nothing less than 1 oz. sold at oz. rates.

Nothing less than $\frac{1}{4}$ lb. sold at $\frac{1}{4}$ lb. rates.Nothing less than $\frac{1}{2}$ lb. sold at 1 lb. rates.



Carrot—Geelwortel—Chantenay

CARROT—GEELWORTEL:

	oz.	$\frac{1}{4}$ lb.	lb.
Chantenay	2/6	7/6	27/6
Half Long			
Nantes			

CAULIFLOWER—BLOMKOOL:

Queen of Hearts	5/-	17/6	60/-
Southern Cross	2/6	7/6	25/-
Private Stock	5/-	17/6	60/-



Cauliflower—Blomkool—Queen of Hearts.

CELERY—SELDERY:

	oz.	$\frac{1}{4}$ lb.	lb.
Superb White	2/6	9/-	30/-
White Plume			

CHICKEN LETTUCE—HOENDERSLAAI:

American Tall	1/6	4/6	15/-
---------------------	-----	-----	------

CHILL, CAPSICUM, PEPPER—RISSIES:

Bullnose	2/-	6/-	20/-
Long Red Cayenne			
Small Red			
Neapolitan			



Cayenne—Rissies—Long Red.

CHOU MOELLIER or MARROW KALE—BLAARKOOL:

	oz.	$\frac{1}{4}$ lb.	lb.
Imported	1/-	2/-	4/-
Colonial	1/-	1/3	3/-

CORN, SWEET AMERICAN—SOET-MIELIES.


Stowells Evergreen and other varieties	—	—	1/-
--	---	---	-----

CRESS—BRONKORS:

Water	Sold Out.
Curled	Sold Out.

CUCUMBER—KOMKOMMER:

Black Diamond	} Write for Prices.
Cool and Crisp	
Early Fortune	
Fordhook Famous	
Long Green Improved	
White Spine	
Chicago Pickling	
Gherkin West-India	



Cucumber—Komkommer—Fordhook Famous.

ENDIVE—ANDYWIE:

	oz.	$\frac{1}{2}$ lb.	lb.
Escarolle	2/-	5/-	20/-

HERBS—KEUKENKRUIDEN OF KRUID SADE:

Mixed	Sold Out.
-------------	-----------

HOTKAPS.

Packages of 25	} Sold Out.
100	
250	
1,000	
Special Steel Setter	
Steel Tamper	



Hotkaps.

KALE—BLAARKOOL:

	oz.	$\frac{1}{2}$ lb.	lb.
Green Curled	Sold out		
Thousand Headed	1/-	2/-	6/-
Chou Moellier (Marrow) Imported	1/-	2/-	4/-
Chou Moellier (Marrow) Colonial	1/-	1/3	3/-

KOHL RABI—KNOL KOOL:

Purple Vienna	} Sold Out.
White Vienna	

LEEK—PREI:

Write for Price.	2/-	7/6	22/6
------------------	-----	-----	------

LETTUCE—SLAAI:

All Year Round	} Write for Price.
Butter—California Cream	
Chicken	
Iceberg	
New York	
Neapolitan	
Webb's Wonderful	
Cos	
Wayahead	



Lettuce—Slaai—Webb's Wonderful.

LINSEED, COLONIAL—LYNSAAD:

See CEREALS, etc.—Besock GRAAN, ens.

LUCERNE..LUSERN:

	lb.
Chinese Export Quality	1/9
Hunter River Export Quality	1/4
Provence, Export Quality	1/2
(All Lucerne Seed is Colonial Grown.)	

LUPINS:

	lb.
Blue Field	} Write for Prices.
White Field	

MANGOLD WURTZEL or MANGELS—WORTELS:


	lb.	25 lbs. and over	Bag lots 112 lbs.
MANGEL, LONG RED	} 3/-	2/9	2/6
Yellow Globe			
Half Sugar			

MARROW—GROEN PAMPOENTJIES: See Squash—Besock Vroege.

	oz.	$\frac{1}{2}$ lb.	lb.
Cattle Marrow	9d.	1/-	1/6

SWEET MELON—SPAANSPEK:

	oz.	$\frac{1}{2}$ lb.	lb.
Bay View	} 1/-	3/6	12/-
Cape Spaanspek			
Rocky Ford			
New Giant			
Netted Gem			
Emerald Gem			
Hale's Best			
Hearts of Gold			
Honey Dew			
Early Hackensack			




Sweet Melon—Spaanspek—Hearts of Gold.

WATER MELON—WATERLEMOEN:

Excel	} 1/-	2/3	7/6
Ice Cream			
Tom Watson			
Wonder			
Pride of Muscatine Wilt Resister			
Sunny Brook Heat Resister			

Do not grow Sweet Melons and Water Melons near Pumpkins and Cucumbers as they hybridise.



Watermelon—Waterlemoen—Wonder.

MELONS—CATTLE—KAFFERWATERLEMOEN:

	lb.
Kaffir Colonial	2/-
Makataan Colonial	2/6
Mammoth White	

MEALIES—MIELIES:

All Varieties—see Seed Maize, Page 9.

AMERICAN SWEET CORN

	lb.	10 lbs. per lb.
Golden Bantam	1/-	10d.
Country Gentleman		
Stowell's Evergreen		
BURLINGTON HYBRIDS, Earliest of all.		
Bread Mealies	9d.	7d.

The above are specially for Green Mealies.

Maize for Farm Planting—see Page 9.

MONKEY NUTS—GROUND NUTS—GRONDBOONTJIES:

	Per lb.	Per 100 lbs.
Virginia Bunch, Shelled	}	Write for Prices.
Virginia Bunch, Unshelled		

MUSTARD—MOSTERD:

	oz.	1/4 lb.	lb.
Fine White	}	}	Sold out.
Agricultural White			
OKRA or GUMBO			Sold out.



Onion—Uie—Cape Yellow Globe.

ONIONS—UIE:

	oz.	1/4 lb.	lb.
Cape Early Flat	}	1/6	4/6 14/6
Cape Yellow Globe			
Australian Brown			

PARSLEY—PIETERSELIE:

Champion Moss Curled Write for Prices.

PARSNIP—WITWORTELS:

Hollow Crown	}	1/-	3/6 11/6
Guernsey			

PAW-PAW:

Ford's 2/- 7/6 25/-

PEAS—ERTJIES:

See Page 2.—Besock Bladsy 2.



Potatoes—Ertappels.

POTATOES—ERTAPPELS:

EARLY MAINCROP VARIETIES, MID-SEASON:

German Blue. Flourball.

MAINCROP VARIETIES, LATE:

Up-to-date.

PRICES:

Colonial Seed—Koloniaal Saad:

Boxes, 75 lbs., and 100 lbs.	}	Prices on Application.
Bags, 150 lbs.		

Imported Seed. Available November, December, January:

Ingevoerde Saad:

Scotch Up-to-dates, cases 66 lbs.	}	Prices on Application.
Scotch Up-to-dates, cases 100 lbs.		

PUMPKINS—PAMPOEN:

	oz.	1/4 lb.	lb.
Boer, Ford's Flat Improved	1/-	2/6	8/6
Boer, Mixed	6d.	9d.	1/3
Jumbo, Mammoth Cattle	9d.	1/6	5/-
Iron Bark Mammoth	1/-	2/-	3/6

Big Tom	}	1/-	2/6	8/6
Winter Luxury				
Ceylon or Green Striped Cushaw				
Crooknek				
Small Sugar or Pie				

Mixed, all kinds	}	6d.	9d.	1/3
Pig				



Pumpkin—Pampoen—Ford's Flat Boer Improved.


Do not grow Sweet Melons and Water Melons near Pumpkins and Cucumbers as they hybridise.

RADISH—RADYS:

French Breakfast	
Giant Red Globe	
Long Brightest Scarlet	
Long White Icicle	
Monthly Sparkler	
Scarlet Gem	
Sparkler Round Red White Tip	

oz. ¼ lb. lb.

1/- 2/3 7/6



Radish—Radys—Giant Red Globe.

RAFFIA—First Quality:

In Large or small quantities.

Per lb.		2/6
5 lbs., per lb.		2/3
25 lbs., per lb.		2/-
100 lbs., per lb.		1/8
Bales (220 lbs.), per lb.		1/6

RAPE—RYP:

	lb.	25 lbs. and over	100 lbs.
		per lb.	per lb.
Dwarf Essex	1/6	1/3	1/-

RHUBARB—RUBARBER (Pie-Plant):

	oz.	¼ lb.	lb.
Myatt's Victoria			
Royal Albert			

Sold Out.

SALSIFY or OYSTER PLANT

oz. ¼ lb. lb.
Sold Out.

SPINACH—SPINASIE:

Beet (Swiss Chard) Lucullus	
Bloomsdale Long Standing	
Monstrous Viroflay	
New Zealand	

1/6 4/6 15/-
1/- 2/3 7/6



Spinach Beet or Swiss Chard—Spinasie Beet.

SQUASH—VROEGE:

Boston	
Crookneck	
Custard White Scalloped Bush	
Custard Golden Scalloped Bush	
Little Gem	
Golden Table Queen	
Hubbard Golden	
Hubbard Green	
Hubbard Blue	
Long White Bush	
Long Green Bush	


oz. ¼ lb. lb.

1/- 3/6 12/6



Squash—Vroege—Little Gem.

Do not grow Squashes near Sweet Melons, Water Melons, Pumpkins or Cucumbers as they hybridise.



Squash—Vroege—White Custard Marrow.

SUNFLOWER—SONNEBLOM:

lb.

Grey Striped, Mixed, Large Black, Small Black, White 6d.

Special prices for large quantities.

SUNN HEMP:

lb.

LEGUMES see Page 10—Besock Bladsy 10. 6d.

SWEDES or SWEDISH TURNIPS—RUTABAGA—BEESRAAP:

25 lbs. Bag lots

lb. and over 112 lbs.

Purple Top

3/-	2/11	2/10
-----	------	------

SORGHUMS:

See Page 12.—Besock Bladsy 12

SWISS CHARD:

oz. ¼ lb. lb.

Lucullus	1/6	4/6	15/-
----------	-----	-----	------

TARES:

See VETCHES, Opposite.

TOBACCO—TABAK:

Groot Swazi	}	2/-	7/6	25/-
Heavy Swazi				
Clarksville				
Improved Gold Leaf				
Sweet Oronoko				
White Burley				

PACKET SEEDS—VEGETABLE AND FLOWER.

4/6 per dozen; 6d. per packet, Post Free.

TOMATO—TAMATIES:

oz. ¼ lb. lb.

Beauty American	}	2/6	9/-	30/-
Best of All				
Earliana				
Marglobe				
Norton				
Ponderosa				
Pearson				
Pritchard				
Rutgers				
Stone				
John Baer				
Greater Baltimore				
Golden Queen				
Plum Red				
Pear Red				
Pear Yellow				
Cherry Red				
Cherry Yellow				



Tomato—Tamaties—Marglobe.

TURNIP—RAAP:

oz. ¼ lb. lb.

American Purple Top	}	1/-	1/6	4/-
Early Flat Red Milan				
Early White Stone				
Early Flat White Milan				
Golden Ball				
Purple Top White Globe				
Early Snowball				

TURNIPS FOR CATTLE—RAAP VIR BEESTE:

25 lbs. Bag lots
lb. and over 112 lbs.

PURPLE TOP WHITE	}	1/10	1/9	1/8
GLOBE MAMMOTH				
Aberdeen Purple-Top Yellow				

VETCHES or TARES—WIKKE:

lb.

Hairy (vicia villosa)	Sold Out.
Spring (Vicia sativa)	5d.
Winter (Vicia Sativa)	5d.
Purple (Vicia atropurea)	1/3

VEGETABLE MARROW—VROEGE OF GROEN PAMPOENTJIES:
See SQUASHES.

FARM SEEDS—PLAAS SAAD

SEED MEALIES—SAAD MIELIES

SEED MAIZE is recognised as the STANDARD throughout South Africa.
Tipped and Butted and Hand Picked Seed.



WHITES—WIT:

Variety—Verskeidenheid :

	Type.	Nett weight:
	Tiepe.	200 lbs.
	Dent	per bag.
Anveld	"	35/-
HICKORY KING	"	
Potchefstroom Pearl	"	
Rooi Stronk Silver King	"	
WISCONSIN WHITE DENT	"	
AMERICAN WHITE FLINT EARLY	Flint	For Prices see Page 6.
Burlington Hybrids, Earliest of All		
Bread Mealies		

YELLOWS—GEEL:

	Type.	
	Dent	
Chester County	"	35/-
SAHARA YELLOW	"	
CINCINATTI BUSHMAN "BOESMAN"	Flint	
PERUVIAN YELLOW Sold out at present.	"	
NATAL 8 ROW	"	
Small Boesman	"	
YELLOW FLINTS EARLY	"	

AMERICAN SWEET CORN—SOET MIELIES:

COUNTRY GENTLEMAN	For Prices see Page 6.
STOWELL'S EVERGREEN	

FOR SMALLER QUANTITIES.

Half Bags are charged at half of bag rates plus 1/-.

Quarter Bags are charged at quarter bag rates plus 1/6.

11 lbs. any of above varieties priced at 35/- per bag may be had post free,
Agricultural Post, for 4/6.

Special Quotations for Large Quantities.

A SUITABLE ROTATION FOR MAIZE.

1st Year	Cowpeas: grazed off; made into hay; or ploughed under.
2nd Year	Maize fertilized. (Superphosphates, 300-400 lbs. per morgen.)
3rd Year	Maize: unfertilized.
4th Year	Teff: Sudan Grass or Manna.

APPROXIMATE TIMES OF MATURITY.

In regard to the approximate time of maturity, the leading varieties may be grouped as follows:—

LATE MATURING

150—170 days.

Ladysmith White.
Yellow Horsetooth.

MEDIUM LATE

MATURING.

130—150 days.
Hickory King
Sahara.
Anveld.
Chester County.

MEDIUM EARLY

MATURING.

110—130 days.
Wisconsin White Dent.
American White
Flint.
Natal 8 Row.
Boesman.
Rooi Stronk.
Cincinatti Bushman
Yellow Flints.

EARLY MATURING

90—110 days.

Peruvian.
Bread.
Burlington Hybrid.

LEGUMES—PEUL PLANTE.

SUNN HEMP

NO FARMING SYSTEM IS COMPLETE WITHOUT
LEGUMES.

It is a Leguminous fibre plant grown in certain parts as a green Manure Crop. SUNN HEMP is a splendid Legume for Green Manuring, easily turned under. It is specially suited to the Warmer

Prices: Per lb., 8d.; 25 lbs., 11/-; 50 lbs., 20/10; 100 lbs., 35/-; 200 lbs., 65/-

SUNN HEMP ————— A New Green Manuring Crop.
(Crotalaria juncea.)

Districts. It takes the place of Cowpeas. It stands drought well It makes good ensilage. It is ready to plough in 3 or 4 months after planting. Plant 20 lbs. per acre.

Trial lots per Agricultural Post, 10 lbs., Post Free, 7/6.

FIELD BEANS AND LEGUMES—PEULPLANTE EN KAFFERBOONTJIES

COW PEAS.

	Weight per bag.
Black Mouth (Upright)	200 lbs.
Blue Iron (Trailers)	" "
Brabham	" "
IRON	" "
Mixed	" "
Mung or Mowgli (Pea or Bean) (Upright)	" "
New Era (Semi-Upright)	" "
SICKLER (Upright)	" "
SICKLER MINIATURE (Upright)	" "
Whipperwill (Semi-Upright)	" "
White Wonder (Trailers)	" "
NEW POTCHEFSTROOM UPRIGHT COW PEA } Sample Lots, 1/- per lb. 10 lbs., Agricultural Post, post paid, 7/6. }	" "

BEANS.

	Weight per bag.
Dolichos (write for prices).	200 lbs.
Jack (Sword) or Canavalia Ensiformis	" "
Kaffir, Mixed	" "
Soya Beans, Yellow Non-Shattering	" "
Soya Beans, Yellow	" "
Tepary	" "
Velvet, Stingless	" "
Velvet, Somerset	" "

All above SUBJECT UNSOLD.

Half bags of above are charged at half of bag rates plus 1/-.

VETCHES OR TARES—WIKKE

A valuable Winter Legume which deserves greater attention from farmers.

CLIMATIC AND SOIL REQUIREMENTS.

The Vetch gives best results in the cooler regions, and where farmers have not met with success with such legumes as soya beans and field peas they should give vetch every consideration, as it might prove the means of solving the great legume problem which confronts many agriculturists at the present time.

Vetch is especially well adapted to sandy and sandy loam soils and also succeeds well on the heavier types, provided they are well drained. The largest yields of seed are generally secured on medium loam soils that are moderately well supplied with organic matter.

AMOUNT OF SEED TO SOW.

When Vetch is being sown on the land for the first time and it is intended that the crop shall be used for soil improvement, for hay or pasture, from 30 lbs. to 40 lbs. of Vetch seed should be sown per acre.

The quantity mentioned is the amount used when the seed is broadcasted or sown by means of a seed drill. When planted in rows, 10 lbs. to 15 lbs. of seed should prove sufficient.

When put in together with a winter cereal, such as oats or rye, then the following might be used :—

Vetch 15 lbs. Oats or Rye 50 lbs.

If the mixture is intended for heavy grazing, then the quantities of seed should be increased by about 50 per cent.

Plant 40 lbs. per Acre

	PRICES :	Sold Out.
Hairy (vicia villosa)	5d. per lb.	
Spring (vicia sativa)	5d. "	
Winter (vicia sativa)	1/3 "	
Purple (vicia atropurpurea)		

LUCERNE—LUSERN

Distress caused by DROUGHT might be obviated by the conservation of feed.

That Lucerne has great possibilities in connection with stock raising by virtue of its adaptability and high yield of nutritious feed, well supplied with minerals like calcium and phosphorus so necessary for animals, is generally accepted. In this country of uncertain climate there must always be a ready market for lucerne, and with the market now offering overseas for animal products, there is all the more reason for its cultivation and utilisation on the farm.

ONLY THE BEST EXPORT QUALITIES STOCKED.

Plant LUCERNE and other suitable crops and insure against the inevitable recurrence of DROUGHT.

PRICES :

Provence	1/2 per lb.
Hunter River	1/4 do.
Chinese	1/9 do.

Special Prices Quoted for Large Quantities. Plant 20 lbs. per acre.

When better seeds are sold FORD'S will sell them.

GRASSES—GRAS SAAD

(Imported unless stated to be Colonial.)

		Nett Weight bag lbs.	lb.	50 lbs. and over	Bag lots	Plant lbs. per acre. 2 ozs. to sq. yard
Agrostis Tenuis....	(Lawn Grass)	New Zealand Brown Top ...	112	4/6	4/4	4/3 lb.
Cocksfoot, Danish		Dactylis Glomerata	112	Sold out at present.		
Cocksfoot, Akaroa		Dactylis Glomerata	112	"	"	"
Cowgrass (Perennial), Giant		Trifolium Pratense	—	3/9	—	—
Fescue, New Zealand Tall		Festuca Arundinacea	112	Sold out at present.		
Fescue, Meadow		Festuca Pratensis	112	"	"	"
Herd's or Red Top	(Lawn Grass)	Agrostis Vulgaris ...	100	1/6	1/5	1/4 lb.
ITALIAN RYE GRASS	 (Imported)	Lolium Italicum Multiflorum	112	1/4	1/2	1/1 lb.
"	 (Colonial)	"	100	8d.	7½d.	7d. lb.
Kentucky Blue Grass	(Lawn Grass)	Poa Pratensis	112	Sold out at present.		
Lambs Tongue		Plantago Lanceolata	112	10d.	9d.	8d. lb.
Lawn Grass, English		—	112	2/-	1/9	1/6 lb.
Lucerne, Provence Standard Quality (Colonial)		Medicago Sativa	200	1/2	}	20
Lucerne, Hunter River Standard Quality (Colonial)		Medicago Sativa	200	1/4		20
Lucerne, Chinese Standard Quality (Colonial)		Medicago Sativa	200	1/9		20
Lespedeza Korean		—	112	1/9	1/8	1/6 lb.
Meadow Fescue....		Festuca Pratensis	112	1/6	1/4	1/3 lb.
Mixed Permanent Meadow (specially prepared for South Africa)			112	1/-	10d.	9d. lb.
New Zealand Brown Top	(Lawn Grass)	Agrostis Tenuis	112	4/6	4/4	4/3 lb.
Paspalum Dilatatum (Imported)		Golden Crown Grass	112	1/10	1/9	1/8 lb.
PASPALUM DILATATUM (Colonial)		do. do. do.	100	10d.	9d.	8d. lb.
Paspalum Virgatum			100	1/1	1/-	11d. lb.
PERENNIAL RYE GRASS		Lolium Perenne	112	1/2	1/1	1/- lb.
Phalaris Bulbosa or Tuberosa	(Imported)	Toowoomba Canary Grass	—	7/-	—	—
"	(Colonial)	"	—	4/6	—	—
Plantain		Plantago Lanceolata	112	10d.	9d.	8d. lb.
Poa Trivialis	(Lawn Grass)	Rough-Stalked Meadow	112	3/3	3/-	2/9 lb.
Prairie		Bromus Unioloides	112	10d.	9½d.	9d. lb.
Rescue		Bromus Unioloides	112	10d.	9½d.	9d. lb.
Rib		Plantago Lanceolata	112	10d.	9d.	8d. lb.
RHODES (Imported)		Chloris Gayana	112	3/-	2/9	2/6 lb.
RHODES (Colonial)		do. do.	100	1/4	1/3	1/2 lb.
Rough Stalked Meadow Grass	(Lawn Grass)	Poa Trivialis	112	3/3	3/-	2/9 lb.
Salt Bush Creeping Semi-Baccata (Colonial)		Atriplex Semi-Baccata	100	1/6	1/5	1/4 lb.
Salt Bush, Numularium (Upright), Old Man (Col.)		Atriplex Numularia	100	2/-	1/9	1/8 lb.
Smooth Stalked Meadow Grass	(Lawn Grass)	Poa Pratensis	112	Sold out at present.		
SUDAN (Imported)		Sorghum Vulgare	150	9d.	8d.	7d. lb.
SUDAN (Colonial)		Sorghum Vulgare	150	8d.	7d.	6½d. lb.
TEFF, Re-cleaned (Colonial)		Eragrostis Abyssinica	200	7d.	6d.	5d. lb.
Tall Oatgrass		Avena Elatior	112	2/9	2/6	2/3 lb.
Timothy		Phleum Pratense	112	1/-	11d.	9d. lb.
Wimmera Rye Grass		Lolium Subulatum	112	1/-	11d.	10d. lb.
Yorkshire Fog		Holcus Lanatus	112	1/-	11½d.	11d. lb.

SORGHUMS (Colonial Grown)

	Weight of bag.	lb.	50 lbs. and over.	per bag.
AMBER CANE	150	6d.	4d.	35/-
Broom Corn	150	6d.	4d.	35/-
Kaffir Corn, Red	200	{	Write for Prices.	
Kaffir Corn, White	200			
Kaffir Corn, Dwarf Red	200			
Sudan (Imported)	150	9d.	8d.	7d. lb.
SUDAN (Colonial)	150	8d.	7d.	6½d. lb.
Sorghum or Imfi	150	6d.	4d.	35/-
Sweet Sudan or Zoet Riet	150	6d.	4d.	35/-
Wintersome	200	8d.	5d.	65/-

Special Quotations for Large Quantities.

Quantity to Sow.—When sown broadcast, Sorghums are usually seeded at the rate of from 20 to 30 lbs. per acre, but in drills about half that quantity should be sufficient.

MILLETS AND MANNAS (Colonial Grown)

	Weight of bag.	lb.	50 lbs. and over.	Per bag.
Babala	200	4d.	3d.	45/-
Inyouti	200	4d.	3d.	42 6
Manna, White Boer	200	8d.	7d.	100/-
Manna, Red Boer	200	8d.	7d.	100/-
Millet, Grey Pearl	200	4d.	3d.	42 6
MILLET, JAPANESE BARNYARD	100	{	Prices on Application.	
Millet, Pearl, Golden, White	200			
Millet, Proso	200			

Special Quotations for Large Quantities.

When to Order.—Kindly place your general order as early in the Season as possible, so that when conditions are favourable your Seed will be on hand.


All our Seed is re-cleaned Seed, and better Seed is worth more because you sow less and get a bigger yield.

Prices Quoted are subject to Sales and Market Fluctuations.

CLOVERS—KLAVER

	lb.		lb.
Alsike (Trifolium Hybridum)	{	Montgomery Late Red	{
Berseem (Trifolium Alexandrinum)		Hubam (Melilotus)	
Bokhara Sweet (Melilotus Alba)		Subterranean (Trifolium Subterraneae)	
Broad Red Clover (Trifolium Pratense)		White Dutch (Trifolium Repens)	
Chilian Red (Trifolium Pratense)		Wild White English (from Old Pasture) (Trifolium Repens)	
Crimson (Trifolium Incarnatum)		Wild White (New Zealand) (Trifolium Repens)	
Cow Grass (Perennial) (Trifolium Pratense)		Yellow Trefoil (Medicago Lupulina)	
	3/9		3/9
			17 6
			7 6
			3/9

SEED SOWERS—SAAD SAAIERS



CAHOON SEED SOWERS, for sowing Cereals, Lucerne, Rape and similar seeds 35/-

CYCLONE SEED SOWERS, for sowing small seeds 21/-

35/-

21/-



MONTHLY SOWING CALENDAR for Vegetables and Flowers.

SHOWING what Seeds can be sown in each month from January to December under normal circumstances in the "Transvaal," the "Orange Free State," and the uplands of the "Cape Province." In the "Coast Districts," the "Low Country" and "Rhodesia," being a fortnight to a month in advance, sowings may be started earlier, respectively, and carried on longer. What is, however, of greater importance than a strict adherence to date, is the ability of the gardener to take advantage of climatic conditions as they occur, to sow or plant, as the case may be, all seasonable seeds immediately the favourable opportunity arrives.

Make the soil as rich as possible. Do not sow too deep, 2 or 3 times the thickness of the seed is the general rule. Keep seed-beds shaded and moist. Thin out timely and liberally. Transplant in wet or cloudy weather, and shade for a few days until the plants are thoroughly established. Keep the soil loose and fine by frequent workings.

PACKET SEEDS — VEGETABLE AND FLOWER 4/6 dozen; 6d. Packet. Post Free.

JANUARY

LIMA BEANS—Finish planting.
FRENCH BEANS—Plant largely.
RUNNER BEANS—Plant largely.
BEET—Sow largely.
BORECOLE or KALE—Sow a medium crop.
BROCCOLI—Sow largely.
BRUSSELS SPROUTS—Sow a few
CABBAGE—Sow largely.
CARROTS—Sow a medium crop.
CAULIFLOWER—Sow largely.

CELERY—Finish sowing.
CUCUMBER—Make a final small sowing.
SWEET CORN—Finish planting.
HERBS—Sow in tins or seed-bed.
KOHL RABI—Sow largely.
LEEKS—Sow a few under shade.
LETTUCE—Sow a few where to remain.
MUSTARD and CRESS—Sow fortnightly.
ONION—Sow a few salad or green onions.
PARSLEY—Sow a few in tins.

PARSNIP—Continue sowing.
PEAS—Make a good sowing.
RADISH—Sow a few in a shady place.
RED and SAVOY CABBAGE—Sow largely.
SALSIFY and SCORZONERA—Sow a few.
SPINACH—Sow New Zealand variety and Spinach Beet.
SQUASH and VEGETABLE MARROW—Make a final small sowing.
TURNIP—Sow largely.

→ Plant out from seed-beds—Cabbage, Cauliflower, Celery, Rhubarb, Tomatoes, etc. Plant Potatoes. Protect the seed-bed from the sun by using shade frames. Keep a good supply of water. See to it that the ground does not become caked and hoe often.

FLOWERS—This being generally a very hot month, it is advisable to sow seeds in a position sheltered from the sun and hot winds or better still, in tins or boxes placed under a canvas frame. On dull days the covering should be removed altogether. Most of the following will bloom during the winter and early spring months. Sow:—

Acroclinum Bellis Perennis
*Alyssum (Double Daisy)
Amaranthus *Calendula
Anchusa Calliopsis
Anemone *Candytuft
Antirrhinum Canterbury Bells
(Snapdragon) Carnations
Aquilegia *Clarkia
Arctotis *Climanthus Dampieri
Asters Cobaea
Aur Daisy Columbine
Balsam *Cornflower

Cosmos *Hunnemannia
Delphinium *Larkspur
Dianthus (Pinks) Leptosyne
*Eschscholtzia *Linum
Forget-me-not Linaria
Foxglove Lobelia (in tins)
Freesias *Lupins
Gaillardia Marguerites
*Gypsophila (Shasta Daisy)
Heliotrope (in tins) Marigold
Helichrysum *Mignonette
Hollyhock

*Nasturtium Salpiglossis
Nemesia Scabious
*Nigella Schizanthus
Pansy Stocks
Pentstemon Statice
Petunia (in tins) *Sunflower
Phlox Sweet Sultan
*Poppy Sweet William
Portulaca Tritoma
Physostegia Verbena
Pyrethrum Wallflower
Zinnias

→ For the Greenhouse make sowings of the following kinds:—Cineraria, Cyclamen, Primrose, Begonia, Coleus.

FEBRUARY

BROAD BEANS—Begin planting.
RUNNER BEANS—Finish planting.
FRENCH BEANS—Finish planting.
BORECOLE or KALE—Sow largely.
BEET—Sow largely.
BROCCOLI—Finish sowing.
BRUSSELS SPROUTS—Sow largely.
CABBAGE—Continue sowing.
CARROTS—Sow a full crop.
CAULIFLOWER—Finish sowing.

ENDIVE—Make a good sowing.
HERBS—Sow in tins or seed-bed.
KOHL RABI—Sow largely.
LEEKS—Sow a few.
LETTUCE—Continue sowing where to remain.
MUSTARD and CRESS—Sow fortnightly.
ONION—Sow largely for salad and for bulbing.

PARSLEY—Sow largely.
PARSNIP—Make a good sowing.
PEAS—Sow largely.
RADISH—Sow for a succession.
RED and SAVOY CABBAGE—Sow a medium crop.
SALSIFY and SCORZONERA—Sow a few.
SPINACH and SPINACH BEET—Sow a few.
TURNIPS—Sow largely.

→ Plant out from seed-beds—Cabbage, Cauliflower, Celery, Leeks, Tomatoes, etc. Plant Potatoes. Do not forget to protect the seed-beds by using canvas shades, and keep up a good supply of water. See to it that the ground does not become caked and hoe frequently.

FLOWERS—This is the first month of autumn, and although the weather during the day is usually hot, the nights are cooler, and any favourable conditions of temperature should be taken advantage of for making a full sowing of seeds of plants marked as seasonable. Make also good use of your canvas frames. Sow:—

Acroclinum *Calendula
Adonis Calliopsis
Ageratum *Candytuft
*Alyssum Canterbury Bells
Amaranthus Carnations
Anemone *Clarkia
Anchusa Cobaea
Antirrhinum Convolvulus
(Snapdragon) *Cornflower
Aquilegia Delphinium
Arctotis Dianthus (Pinks)
Bellis Perennis Dimorphotheca
(Double Daisy)

*Eschscholtzia Ipomopsis
Forget-me-not *Larkspur
Foxglove Linaria
Gaillardia *Linum
Geum Lobelia (in tins)
Godetia *Lupins
Golden Feather Marguerites
*Gypsophila (Shasta Daisy)
Helichrysum Marigold
Heliotrope (in tins) *Mignonette
Hollyhock *Nasturtium
*Hunnemannia Nemesia

Nicotiana Schizanthus
Nigella Stocks
Pansy *Sunflower
Pentstemon Sweet Peas
Petunia (in tins) Sweet Sultan
Phlox Sweet William
*Poppy Tritoma
Portulaca Verbena
Physostegia *Violets (in tins)
Ranunculus Viscaria
Salpiglossis Wallflower
Scabious

→ For the Greenhouse make sowings of Cineraria and Primula. If it rains advantage must be taken to transplant any seedlings ready from previous sowings. Keep the surface of the soil well mulched.

Choice Collections of
Vegetable and Flower
Seeds,

YOUR OWN SELECTION

12 — 6d. Packets for 4/6

25 — 6d. Packets for 8/6

50 — 6d. Packets for 16/-

Nett cash with Order, Post Free, to any part of the Union. Outside Union, 6d., 1/- and 1/6 extra for postage respectively.

STOREKEEPERS: SPECIAL PRICES QUOTED ON APPLICATION.

Ford's for Seeds — Catalogues Free. — A. Ford & Co.
AGRICULTURAL SEEDSMEN.

P.O. Box 5701.

Seed Contractors to the Union Government.

JOHANNESBURG.

Flowers marked (*) do not easily transplant, or, being very hardy, should be sown where plants are intended to remain. Thin out at an early stage; do not allow overcrowding. All other seeds can be sown in tins or shaded beds, pricked out into other tins, and finally transplanted to the open ground during suitable weather.

MARCE

BEET—Make a good sowing.
BORECOLE or **KALE**—Sow a medium crop.
BROAD BEANS—Sow a few.
BRUSSELS SPROUTS—Finish sowing.
CABBAGE—Finish sowing.
CARROTS—Sow for a succession crop.
ENDIVE—Sow largely.

HERBS—Finish sowing.
KOHL RABI—Make a medium sowing.
LEEKs—Sow largely.
LETTUCE—Continue sowing.
MUSTARD and **CRESS**—Sow fortnightly.
ONION—Sow largely for salad and for bulbing.

PARSLEY—Make a good sowing.
PARSNIP—Sow for succession.
PEAS—Sow a medium crop.
RADISH—Sow for a succession.
RED and SAVOY CABBAGE—Sow a few.
SPINACH—Sow largely.
TURNIP—Sow largely.

→ Plant out from seed-beds—Broccoli, Borecole, Cabbage, Cauliflower, Celery, Leeks, Parsley, etc.

FLOWERS—The nights are now becoming colder, although the days may be warm, and all the seeds recommended should be sown as soon as possible, as they germinate much quicker when the soil is still warm, and give the seedlings a chance to make a bold display. Many of the seeds named can be sown out of doors, but any that are tender are better sown under the canvas shade, even now, as they are so much better under control. Sow:—

Acroclinium
 Adonis
 Ageratum
 *Alyssum
 Anemone
 Antirrhinum
 (Snapdragon)
 Aquilegia
 Bellis Perennis
 (Double Daisy)
 *Calendula

Calliopsis
 *Candytuft
 Canterbury Bells
 Carnation
 *Chrysanthemum
 *Clarkia
 *Cornflower
 Delphinium
 Dianthus (Pinks)
 Dimorphotheca
 *Eschscholtzia

Forget-me-not
 Foxglove
 Freesia
 Gaillardia
 Geum
 Godetia
 Golden Feather
 *Gypsophila
 Helichrysum
 Heliotrope (in tins)
 Hollyhock

*Hunnemannia
 *Larkspur
 Linaria
 Lobelia (in tins)
 *Lupins
 *Marguerites
 (Shasta Daisy)
 Marigold
 *Mignonette
 Musk
 *Nasturtium

Nemesia
 Nicotiana
 *Nigella
 Pansy
 Pentstemon
 Petunia (in tins)
 Phlox
 Physostegia
 *Poppy
 Primula (in tins)
 Ranunculus

Salpiglossis
 Scabious
 Schizanthus
 Stocks
 Sweet Peas
 Sweet William
 Tritoma
 Verbena
 Violets (in tins)
 Virginian Stocks
 *Viscaria
 Wallflower

→ Thin out and transplant.

APRIL

BORECOLE or **KALE**—Finish sowing.
BROAD BEANS—Make a good sowing.
BEET—Finish sowing.
ENDIVE—Finish sowing.
LEEKs—Finish sowing.

LETTUCE—Sow for a succession.
MUSTARD and **CRESS**—Sow fortnightly.
ONION—Finish sowing a few.
PARSLEY—Finish sowing.
PEAS—Finish Sowing.

PARSNIP—Finish sowing.
RADISH—Sow for a succession.
SPINACH—Sow a medium crop.
TURNIP—Finish sowing.

→ Plant out Borecole, Cabbage, Celery, Leeks, Onions, Parsley, etc.

FLOWERS—This is the last month of autumn, and, if not already done, sowing should not be further delayed, as the cold weather, which will soon be upon us, will retard their growth. The canvas frame is now not only useful for shading purposes, but is also a protection against frosts; remove the cover entirely during the day when it is fine, replacing it at night. Sow:—

Acroclinium
 Adonis
 Ageratum
 *Alyssum
 Anemone
 Antirrhinum
 (Snapdragon)
 Aquilegia
 Bellis Perennis
 (Double Daisy)

*Calendula
 Calliopsis
 *Candytuft
 Canterbury Bells
 Carnation
 *Clarkia
 *Cornflower
 Delphinium
 Dianthus (Pinks)
 Dimorphotheca

*Eschscholtzia
 Forget-me-not
 Foxglove
 Freesia
 Gaillardia
 Geum
 Godetia
 Golden Feather
 *Gypsophila
 Heliotrope (in tins)
 Hollyhock

*Hunnemannia
 *Larkspur
 Linaria
 *Lupins
 *Marguerites
 (Shasta Daisy)
 Marigold
 *Mignonette
 *Nasturtium
 Nicotiana

Pansy
 Pentstemon
 Petunia (in tins)
 Phlox
 *Poppy
 Primula (in tins)
 Ranunculus
 Salpiglossis
 Scabious
 Stocks

Sweet Peas
 Sweet William
 Verbena
 Violets (in tins)
 Virginian Stocks
 Wallflower

→ Continue to plant out seedlings from previous sowings.

MAY

BROAD BEANS—Make a good sowing.
LETTUCE—Sow under protection.

MUSTARD and **CRESS**—Sow fortnightly.
RADISH—Sow a few in a sunny spot.

SPINACH—Sow a few.

→ Divide and replant Herbs, Horse Radish, etc. Transplant Cabbage, Leeks, Onions, Parsley, etc. Dig, manure and trench your garden. Destroy all refuse from past crops.

FLOWERS—Although we are entering the cold season, many of the hardier varieties may still be sown to keep up a succession of bloom. As early frost must be expected this month, it is advisable to sow in a glass or a canvas frame placed in a warm position. Very hardy and strong-growing plants can, however, be sown out of doors. Sow:—

*Alyssum
 Antirrhinum
 (Snapdragon)
 Aquilegia
 Bellis Perennis
 (Double Daisy)

*Calendula
 Calliopsis
 *Candytuft
 Canterbury Bells
 Carnation
 *Cornflower

Delphinium
 Dianthus (Pinks)
 Dimorphotheca
 *Eschscholtzia
 Forget-me-not
 Foxglove

*Gypsophila
 *Larkspur
 *Lupins
 *Marguerites
 (Shasta Daisy)
 *Mignonette

*Nasturtium
 Nicotiana
 Pansy
 Petunia (in tins)
 Phlox
 *Poppy

Primula (in tins)
 Sweet Peas
 Sweet William
 Stocks
 Verbena
 Wallflower

JUNE

BROAD BEANS—Sow a medium crop.
LETTUCE—Sow a few under protection.

MUSTARD and **CRESS**—Continue sowing.
RADISH—Sow a few in a sunny spot.

SPINACH—Sow a few in a warm situation.

→ Make sowings under protection. Plant Herbs, Onions, Leeks, etc. Have a thorough clean-up of your garden, and dig manure and trench same.

FLOWERS—As this is normally a very cold month and no warmth in the soil, only those possessing a glass house, a hot-bed or a cold frame, should attempt to raise seeds except the very hardiest sorts. The garden should be thoroughly manured and dug over for the coming season. Sow, under protection:—

Antirrhinum
 (Snapdragon)
 Bellis Perennis
 (Double Daisy)

*Calendula
 (Snapdragon)
 *Candytuft
 *Cornflower

Delphinium
 *Eschscholtzia

Hollyhock
 *Larkspur

*Lupins
 Pansy

Sweet Peas
 Verbena

→ Keep the seed-beds covered at night with straw matting or bags, or give some other protection.

Packet Seeds—Vegetable and Flower.

4/6 dozen; 6d. per packet. Post Free.

STOREKEEPERS: SPECIAL PRICES QUOTED ON APPLICATION.

„Ford's vir Sade" — Katalogusse Gratis. — A. Ford & Kie.

HANDELAARS IN LANDBOUSADE.

Posbus 5701.

Saadkontrakteurs vir die Unie-Goewerment.

JOHANNESBURG.

Flowers marked (*) do not easily transplant, or, being very hardy, should be sown where plants are intended to remain. Thin out at an early stage; do not allow overcropping. All other seeds can be sown in tins or shaded beds, pricked out into other tins, and finally transplanted to the open ground during suitable weather.

JULY

BROAD BEANS—Sow a medium crop.
CABBAGE—Sow a few.
LEEKs—Sow a few under protection.
LETTUCE—Sow a few under protection.

MUSTARD and CRESS—Sow fortnightly.
PARSLEY—Sow a few in tins.
PEAS—Sow largely.
RADISH—Sow a few in a sunny spot.

RHUBARB—Sow a few in a frame.
SPINACH—Sow a few in a warm situation.
TOMATOES—Sow a few in a frame.
TURNIP—Sow a few.

→Protect your seed-beds by canvas shades. Plant out Leeks, etc.

FLOWERS—As the weather will not be favourable for sowing out of doors for another month, it will be advisable to do all preparatory work possible in the garden to receive new plants next month and later. The following may be sown if protection can be given :—

Antirrhinum (Snapdragon).	Carnation	Golden Feather	Marguerite	Petunia (in tins)	Sweet Peas
*Candytuft	Delphinium	Hollyhock	(Shasta Daisy)	Pentstemon	*Sweet Sultan
Canna	Dianthus (Pinks)	*Hunnemannia	Marigold	Phlox	Sweet William
Canterbury Bells	*Eschscholtzia	*Larkspur	Nicotiana	Salpiglossis	Violets (in tins)
	Foxglove	Lobelia (in tins)	Pansy	Salvia	Verbena

→Keep the seed-beds covered at night with straw matting or bags, or give some other protection.

AUGUST

ARTICHOKE—Sow a few in a frame.
BROAD BEANS—Finish sowing a few.
BEET—Make a good sowing.
FRENCH BEANS—A few may be sown towards the end of the month in a warm locality.
CABBAGE—Sow a medium crop.
CAPSICUM—Sow a few in a frame.
CAPE GOOSEBERRY—Sow a few.
CARROT—Sow a medium crop.
CELERY—Make a small sowing in tins and protect carefully.
CHERVIL—Sow a few.

CHICORY—Sow a medium crop.
CUCUMBER—Make a small sowing in a frame for planting out early.
ENDIVE—Sow a few.
HERBS—Sow largely all kinds under protection.
KOHL RABI—Sow a few.
LEEKs—Sow a medium crop.
LETTUCE—Sow largely under protection.
MELONS—Sow a few along with Cucumbers in a frame.
MUSTARD and CRESS—Sow fortnightly.
ONION—Sow largely.
PARSLEY—Sow a small crop.

PARSNIP—Make a good sowing.
PEAS—Sow largely.
PUMPKIN—Sow a few in a frame.
RADISH—Sow largely.
RHUBARB—Make a small sowing.
SALSIFY and SCORZONERA—Sow a few.
SPINACH—Sow largely.
SQUASH and VEGETABLE MARROW—Sow a few in a frame.
SWISS CHARD or SPINACH BEET—Sow a few.
TOMATO—Sow in tins under protection.
TURNIP—Make a good sowing.

→Make good use of your shade frames for raising all kinds of Vegetables and Salads which are inconvenient to transplant and cannot therefore be raised in tins or boxes. Plant Potatoes. Transplant Onions, Rhubarb, Leeks, etc.

FLOWERS—This month ushers in the spring season, and the increasing warmth will greatly accelerate growth. If weather permits we advise a full sowing of all hardy annuals in open border, and more tender varieties in tins under protection. Sow :—

Acroclium	Carnation	*Eschscholtzia	Hollyhock	*Mignonette	Salpiglossis
Adonis	Celosia	Forget-me-not	*Hunnemannia	Mina Lobata	Salvia
Ageratum	Chinese Lantern	Foxglove	Ice Plant	*Nasturtium	Scabious
*Alyssum	Chrysanthemum	Freelias	Ipomopsis	Nemesia	Schizanthus
Antirrhinum	*Clarkia	Gaillardia	Kudzu Vine	Nicotiana	Statice
Aquilegia	Cobaea	Gerbera	Kochia	*Nigella	*Sunflower
Arctotis	Convolvulus	Geum	Lantana	*Ornamental Grasses	Sweet Peas
Aster	*Cornflower	Gilia	*Larkspur	Pansy	*Sweet Sultan
Barberson Daisy	Cosmos	Gladiolus	Leptosyne	Pentstemon	Sweet William
Bellis Preennis	Cockscomb	Godetia	Linaria	Petunia (in tins)	Tahoka Daisy
(Double Daisy)	Dahlia	Golden Feather	*Linum	Phlox	Verbena
*Calendula	Delphinium	Granadilla	Lobelia (in tins)	*Poppy	*Viscaria
Calliopsis	Dianthus (Pinks)	Gypsophila	*Lupins	Portulaca	Violets (in tins)
Canary Vine	Didiscus	Helichrysum	Marguerite	Pyrethrum	Wistaria
*Candytuft	Dimorphotheca	*Heliotrope (in tins)	Marigold		
Canna					

→For the Greenhouse make sowings of Geranium, Coleus, Primula, etc. Protect your seed-beds against frost and high winds.

SEPTEMBER

ARTICHOKE—Sow largely.
ASPARAGUS—Sow largely.
FRENCH BEANS—Sow a medium crop.
LIMA BEANS—Sow a medium crop.
RUNNER BEANS—Sow a medium crop.
BEET—Make a good sowing.
CAPE GOOSEBERRY—Sow largely.
CAPSICUM—Sow largely in tins ; protect.
CARROT—Sow a full crop.
CELERY—Sow largely in tins.
CHICORY—Sow a full crop.
SWEET CORN or MEALIES—Sow a few late in the month.

CUCUMBER—Sow a medium crop ; protect.
EGG PLANT—Make a small sowing in frame.
ENDIVE—Make a small sowing.
HERBS—Sow all kinds.
KOHL RABI—Sow a medium crop.
LEEKs—Sow a full crop.
LETTUCE—Sow largely.
MELONS—Sow a medium crop and protect.
MUSTARD and CRESS—Sow fortnightly.
OKRA—Sow a few.
ONION—Make a good sowing.
PARSLEY—Sow a full crop.
PARSNIP—Sow a medium crop.

PUMPKIN—Sow a few in a protected place
PEAS—A few may still be chanced in a cool and shady place.
RADISH—Sow for a succession.
RHUBARB—Sow largely.
SALSIFY and SCORZONERA—Sow largely.
SPINACH—Sow largely.
SQUASH and VEGETABLE MARROW—Make a small sowing in a protected place.
SWISS CHARD or SPINACH BEET—Sow largely.
TOMATO—Sow largely.
TURNIP—Sow a medium crop.

→Make good use of canvas shades. Water and hoe frequently. Transplant Celery, Rhubarb, Leeks, Parsley, etc.

FLOWERS—This is considered the best month to sow half-hardy annuals as frosts by this time are practically over. Thin out any seedlings which may have germinated too thickly. Mulch the surface of the soil with manure, which will greatly prolong the blooming season of annuals, as it will keep the soil cool and retain the moisture. Sow :—

Acroclium	*Candytuft	Dimorphotheca	Helichrysum	Marigold	Salpiglossis
Adonis	Canna	*Eschscholtzia	Hollyhock	Mina Lobata	Salvia
Ageratum	Carnation	Forget-me-not	*Hunnemannia	*Mignonette	Scabious
*Alyssum	Celosia	Foxglove	Ice Plant	*Nasturtium	Schizanthus
Amaranthus	Chinese Lantern	Freelias	Ipomea	Nemophila	Statice
Anchusa	Chrysanthemum	Gaillardia	Jap Kudzu Vine	Nemesia	*Sunflower
Antirrhinum	*Clarkia	Geranium	Kochia	Nicotiana	Sweet Peas
Aquilegia	*Cianthus	Gebera	Lantana	*Nigella	*Sweet Sultan
Arctotis	Cobaea	Geum	*Larkspur	*Ornamental Grasses	Sweet William
Asters	Convolvulus	Gladiolus	Leptosyne	Petunia (in tins)	Tahoka Daisy
Balsam	*Cornflower	Gilia	Linaria	Phlox	Verbena
Barberson Daisy	Cosmos	Godetia	*Linum	*Poppy	Violets (in tins)
Blue Lace Flower	Cockscomb	Golden Feather	Lobelia (in tins)	Portulaca	Wistaria
*Calendula	Dahlia	Gypsophila	*Lupins	Pyrethrum	*Viscaria
Calliopsis	Delphinium	Granadilla	Malope	Rudbeckia	Zinnia
Canary Creeper	Dianthus (Pinks)	*Heliotrope (in tins)	Marguerite		
			(Shasta Daisy)		

→For the Greenhouse make sowings of Cyclamen, Begonia, Geranium, Coleus, etc.

Choice Collections
of Vegetable and
Flower Seeds.

YOUR OWN SELECTION.

12 — 6d. Packets for 4/6

25 — 6d. Packets for 8/6

50 — 6d. Packets for 16/-

Nett cash with Order, Post Free, to any part of the Union. Outside Union, 6d., 1/- and 1/6 extra for postage respectively.

STOREKEEPERS: SPECIAL PRICES QUOTED ON APPLICATION.

Ford's for Seeds — Catalogues Free. — **A. Ford & Co.**
AGRICULTURAL SEEDSMEN.

P.O. Box 5701.

Seed Contractors to the Union Government.

JOHANNESBURG.

Flowers marked (*) do not easily transplant, or, being very hardy, should be sown where plants are intended to remain. Thin out an early stage; do not allow overcrowding. All other seeds can be sown in tins or shaded beds, pricked out into other tins, and finally transplanted to the open ground during suitable weather.

OCTOBER

ARTICHOKE—Sow a medium crop.
ASPARAGUS—Sow a medium crop.
LIMA BEANS—Sow largely.
FRENCH BEANS—Sow largely.
RUNNER BEANS—Sow largely.
BEET—Sow a full crop.
CAPE GOOSEBERRY—Sow a full crop.
CAPSICUM—Sow largely in tins.
CARROT—Make a good sowing.
CELERY—Continue sowing in tins.
CHERVIL—Continue sowing.
CHICORY—Make a good sowing.

SWEET CORN or MEALIES—Sow largely.
CUCUMBER—Sow largely.
EGG PLANT—Sow largely in tins.
HERBS—Sow all varieties.
KOHL RABI—Sow a medium crop.
LEEK—Finish sowing.
LETTUCE—Sow a medium crop where to remain.
MELONS—Sow largely.
MUSTARD and CRESS—Sow fortnightly.
OKRA—Sow largely.
ONION—Finish sowing.

PARSLEY—Sow a few.
PUMPKIN—Make a good sowing.
RADISH—Sow for a continuation.
RHUBARB—Sow a medium crop.
SALSIFY & SCROZONERA—Finish sowing.
SPINACH—Finish sowing ordinary and start sowing New Zealand variety.
SQUASH and VEGETABLE MARROW—Sow largely.
SWISS CHARD or SPINACH BEET—Sow largely.
TOMATO—Sow largely.

➔ Give plenty of shade to the seed-beds. Water and hoe frequently. Plant out from seed-beds—Cucumber, Melons, Marrows, Tomatoes Parsley, Onions, etc.

FLOWERS—The summer heat will soon be upon us, but if favoured with some good rains we can still sow most of the hardy annua with good prospects of success. Sow all descriptions of flower seeds as recommended for SEPTEMBER.

➔ For the Greenhouse make sowings of the following kinds:—Cyclamen, Cineraria, Primrose, Begonia, Coleus, Geranium, etc. Give plenty of shade to the seed-beds by using shade frames, etc., and water liberally in dry weather.

NOVEMBER

ARTICHOKE—Sow a few in tins.
ASPARAGUS—Sow a few.
LIMA BEANS—Sow largely.
FRENCH BEANS—Sow largely.
RUNNER BEANS—Sow largely.
BEET—Sow a medium crop.
BROCCOLI—Sow a medium crop.
CABBAGE—Sow a medium crop.
CAPE GOOSEBERRY—Sow a few.
CAPSICUM—Finish sowing.
CARROT—Sow a medium crop.

CAULIFLOWER—Sow a medium crop.
CELERY—Sow a few in tins.
CHERVIL—Finish sowing.
SWEET CORN or MEALIES—Sow largely.
CUCUMBER—Sow a full crop.
HERBS—Sow all kinds.
KOHL RABI—Sow a few.
LETTUCE—Sow a medium crop where to remain.
MELONS—Finish sowing.
MUSTARD and CRESS—Sow fortnightly.
OKRA—Finish sowing.

ONION—A few salad onions may be sown.
PARSLEY—Sow a few.
PUMPKIN—Sow largely.
RADISH—Sow for succession in a shady place
RED and SAVOY CABBAGE—Sow a few.
RHUBARB—Finish sowing.
SPINACH—Sow New Zealand variety.
SPINACH BEET or SWISS CHARD—Sow largely.
SQUASH and VEGETABLE MARROW—Sow largely.
TOMATO—Sow for a succession.

➔ Give plenty of shade to the seed-beds. Water and hoe frequently, so that the ground does not become caked. Plant out from seed-beds—Capsicum, Egg Plant, Parsley, Tomatoes, etc.

FLOWERS—Only a limited amount of sowing can be done this month, but all the following will do well provided they are kept well watered. If sown in the open ground, cover the soil with a little stable litter to keep it cool. Germination will be more certain if this is done. Sow:—

Adonis	*Calliopsis	Dimorphotheca	*Ipomea	Mina Lobata	Salpiglossis
*Ageratum	Carnation	*Eschscholtzia	Kochia	*Nasturtium	Salvia
*Alyssum	Celosia	Foxglove	Lantana	Nemesia	Scabiosa
Amaranthus	Chrysanthemum	Gaillardia	*Larkspur	*Nigella	*Sunflower
Anchusa	*Cianthus	Geranium	Leptosyne	Pansy	*Sweet Sultan
*Antirrhinum	Cockscomb	Gerbera	*Linum	Pentstemon	Sweet William
(Snapdragon)	*Convolvulus	Gilia	Lobelia (in tins)	Petunia (in tins)	Tahoka Daisy
Aquilegia	*Cornflower	*Godetia	*Lupins	Phlox	Verbena
Asters	*Cosmos	*Gypsophila	Marguerite	*Poppy	Violet (in tins)
Balsam	Dahlia	Heliotrope (in tins)	(Shasta Daisy)	*Portulaca	*Viscaria
Barborton Daisy	Delphinium	Hollyhock	Marigold	Primula	Zinnia
*Calendula	Dianthus (Pinks)	Ice Plant	*Mignonette	Pyrethrum	

➔ For the Greenhouse make sowing of Begonia, Cineraria, Coleus, Cyclamen, Primula, Geranium, etc. Give plenty of shade to the seed-beds by using shade frames, etc., and water liberally in dry weather.

DECEMBER

ARTICHOKE—Finish Sowing.
ASPARAGUS—Finish sowing.
FRENCH BEANS—Sow largely.
RUNNER BEANS—Sow largely.
LIMA BEANS—Sow a medium crop.
BEET—Sow for a succession.
BROCCOLI—Sow largely.
CABBAGE—Sow largely.
CARROT—Continue sowing a few.
CAULIFLOWER—Sow a full crop.

CELERY—Sow a few in tins.
SWEET CORN or MEALIES—Continue sowing.
CUCUMBER—Sow a medium crop.
HERBS—Sow all kinds.
KOHL RABI—Sow a few.
LETTUCE—Sow a few where to remain.
MUSTARD and CRESS—Sow fortnightly.
PARSLEY—Sow a few.
PARSNIP—Sow largely.

PUMPKIN—Finish sowing.
RADISH—Sow a few in a shady place.
RED and SAVOY CABBAGE—Sow a few.
SPINACH—Sow New Zealand variety.
SPINACH BEET or SWISS CHARD—Sow a medium crop.
SQUASH and VEGETABLE MARROW—Sow a medium crop.
TOMATO—Make a final sowing.

➔ Give plenty of shade to the seed-beds. Water and hoe frequently, so that the ground does not become caked. Plant out from seed-beds—Cabbage, Cauliflower, Capsicum, Egg Plant, Tomatoes, Parsley, etc.

FLOWERS—Generally a hot and dry month, during which scarcely anything in the way of sowing can be done unless there is rain Water freely if necessary. If not previously done, give the ground a good mulching. This retards evaporation from the soil, besides stimulating the plants and keeping the roots cool. Sow:—

Adonis	Barborton Daisy	Delphinium	*Gypsophila	*Nigella	Stocks
*Ageratum	*Calendula	Dianthus (Pinks)	Hollyhock	Pentstemon	*Sunflower
*Alyssum	*Calliopsis	*Eschscholtzia	Ice Plant	Petunia (in tins)	*Sweet Sultan
*Amaranthus	Chrysanthemum	Foxglove	*Kochia	*Poppy	Sweet William
Antirrhinum	*Clarkia	Freessias	*Larkspur	Phlox	Tahoka Daisy
(Snapdragon)	*Cianthus	Gaillardia	Lobelia (in tins)	*Portulaca	Verbena
Aquilegia	Cockscomb	Gerbera	*Lupins	Pyrethrum	Zinnia
Asters	*Convolvulus	Geranium	Marigold	Ranunculus	
Aus Daisy	*Cornflower	*Godetia	*Mignonette	Salpiglossis	
Balsam	*Cosmos	Golden Feather	*Nasturtium	Scabiosa	

➔ For the Greenhouse make sowings of Begonia, Cineraria, Coleus, Cyclamen, Primula, etc. Give plenty of shade to the seed-beds by using shade frames, and water liberally in dry weather.

PACKET SEEDS — VEGETABLE AND FLOWER

4/6 dozen ; 6d. Packet. Post free.

STOREKEEPERS: SPECIAL PRICES QUOTED ON APPLICATION.

„Ford's vir Sade" — Katalogusse Gratis. — A. Ford & Kie. HANDELAARS IN LANDBOUSADE.

Posbus 5701. Saadkontrakteurs vir die Unie-Goewerment. JOHANNESBURG.

Flowers marked (*) do not easily transplant, or, being very hardy, should be sown where plants are intended to remain. Thin out at an early stage; do not allow overcrowding. All other seeds can be sown in tins or shaded beds, pricked out into other tins, and finally transplanted to the open ground during suitable weather.

ORDER FORM.

DIRECTORS :

E. A. HOPSON, F.R.H.S.

A. E. HOPSON, F.R.H.S.

S. W. FINDLAY. F.R.H.S.

ON
ACTIVE
SERVICE

PLEASE WRITE DISTINCTLY.

P.O. Box 5701.

Telegrams: "AFFORD."

Telephone 33-3526
33-0460

A. FORD & CO., (PTY.), LTD.

WHOLESALE AND RETAIL SEEDSMEN.

29/31, Goch Street, Newtown, Johannesburg.

CONDITIONS OF SALE.—We give no guarantee express, or implied (and none of our representatives is authorised to vary this condition in any way), as to description, quality or productiveness or as to any other matter of any seeds, bulbs or plants we sell, and we are not in any way responsible for them or in respect of the crop or failure of the crop. All quotations are given and orders accepted only on the understanding that these conditions are agreed to.

A. FORD & CO., (PTY.), LTD.

Quotations subject to Market Fluctuations and goods being unsold on receipt of orders

Please forward by **to**

N.B.—A large proportion of our Seeds, being necessarily imported, cannot be sent by Agricultural Parcel Post.
(State if to be sent by Goods Train, Passenger Train or Post.)

Name.....

Post Office.....

Railway Station or Siding.....

Date.....194..... Amount Remitted £.....:.....:.....

Imported Seeds cannot be sent by Agricultural Post. If insufficient cash sent, quantities reduced accordingly.

QUANTITY	PARTICULARS	PRICE	£	S.	D.
	CARRIED OVER	£			

Add 6d. Exchange to Country Cheques.

Please send Postal Orders for amounts of 2/- and under.

P.T.O.

CEREALS, ETC. — GRAANSOORTE, Ens.

(Subject to Price Fluctuations.)

SEED WHEAT—SAAD KORING—

Early Gluyas						
Klein Koren						
Lalkasarwali						
Red Egyptian						
Union 52						

SEED OATS—SAAD HAWER—

Algerian						
Boer						
Dun Winter						
Sidonian						
Summer						
Sunrise						
Wonder						

SEED BARLEY AND BARLEY WHEAT—SAAD GARS EN KAALGARS—

Cape Seed Barley						
Emmer Wheat (Speltz)						
Beardless Barley Wheat						

SEED RYE—SAAD ROG—

Cape Seed Rye						
Stooling Rye						
Danish Stooling Rye						

BUCKWHEAT—BOKWIET—

Re-cleaned						150 lbs. nett.	Ask for Prices.
------------	------	------	------	------	------	----------------	-----------------

LINSEED—LYNSAAD—

Re-cleaned						200 lbs. nett.	Ask for Prices.
------------	------	------	------	------	------	----------------	-----------------

SUNFLOWER—SONNEBLOM—

In several varieties						100 lbs. nett.	Ask for Prices.
----------------------	------	------	------	------	------	----------------	-----------------


(All the above are Colonial Grown)

TABLE OF GERMINATION AND CROP MATURITY FOR VEGETABLE SEEDS.

All dates and times given are approximate only, and allowance must be made for local climatic conditions, soil, cultivation, and season.

	Time to germinate in weeks.	Ready for use after germination.		Time to germinate in weeks.	Ready for use after germination.
Artichoke	2 to 4	second spring	Kohl Rabi	1-2	3-4 months
Asparagus	3-4	third spring	Leeks	2-3	4-5 "
Broad Beans	1-2	4-5 months	Lettuce	1-2	2-3 "
Bush Beans	"	2-3 "	Musk Melon	"	3-4 "
Runner Beans	"	" "	Water Melon	"	" "
Lima Beans	"	3-4 "	Mustard	"	5-6 weeks
Beet	2-3	2-3 "	Onion	2-3	6-8 months
Borecole	1-2	3-5 "	Parsley	2-4	3-4 "
Broccoli	"	6-8 "	Parsnip	"	3-4 "
Brussels Sprouts	"	5-6 "	Peas	1-2	" "
Cabbage	"	3-5 "	Pumpkin	"	4-5 "
Capsicum (Pepper)	2-3	4-5 "	Radish	"	30-50 days
Carrot	2-4	3-4 "	Rhubarb	"	third spring
Cauliflower	1-2	5-8 "	Shallots	2-3	4-5 months
Celery	2-4	5-6 "	Spinach	1-2	1-2 "
Corn (Sweet)	1-2	3-4 "	Spinach Beet (Swiss Chard)	2-3	3-4 "
Cress, Garden	"	3-4 weeks	Squash (Vegetable Marrow)	1-2	" "
Cress, Water	"	4-6 "	Tomatoes	2-3	4-5 "
Cucumber	"	3-4 months	Turnip	1-2	2-3 "
Egg Plant	2-3	4-5 "			

**u
Eis
Goeie
S A A D**



Ons Verkoop GOEIE Saad



**A. FORD & KIE., (Eien.), Bpk.
Gochstraat 29/31, Newtown,
JOHANNESBURG.**



Posbus 5701.

Tel. Adres: "AFFORD"

Foon 33-3526
33-0460